



झारखण्ड राज्य प्रदूषण नियंत्रण पर्षद

नगर प्रशासन भवन, एच0 ई0 सी0, धुर्वा, राँची

दूरभाष : (0651) 2400851, 2400852, फ़ैक्स : 0651-2400850

कार्यालय आदेश.....04.....

राँची, दिनांक.....1.5.15.....

कार्यालय आदेश

झारखण्ड राज्य प्रदूषण नियंत्रण पर्षद के अधीन विभिन्न प्रकार के इकाईयों के निरीक्षण हेतु केन्द्रीय निरीक्षण एजेंसी निम्नवत गठित किया जाता है :-

1. सदस्य सचिव
2. पर्यावरण अभियंता
3. पर्षद विश्लेषक
4. सहायक पर्यावरण अभियंता
5. सभी क्षेत्रीय पदाधिकारी

एजेंसी का उत्तरदायित्व होगा कि इकाईयों का निरीक्षण निर्धारित निरीक्षण प्रपत्रों में सुनिश्चित करें। साथ ही सभी पर्यावरण अधिनियमों के अनुपालन की स्थिति सुनिश्चित की जाए। केन्द्रीय निरीक्षण एजेंसी के कार्यों में पर्षद के स्थानीय इकाईयों द्वारा सहयोग प्रदान किया जाएगा। निरीक्षण प्रपत्रों की प्रति संलग्न है।

ह0/-

प्रभारी सदस्य सचिव

राँची, दिनांक1.5.15.....

ज्ञापांक.....4.13.61.....

प्रतिलिपि: सभी संबंधित पदाधिकारी/सभी शाखा प्रमुख, मुख्यालय/सभी पदाधिकारी/कर्मचारीयो को सूचनार्थ।

5145

6/5/15

Amunshyap
41515

प्रभारी सदस्य सचिव

5.15
1.5.



झारखण्ड राज्य प्रदूषण नियंत्रण पर्वद

Jharkhand State Pollution Control Board

Regional Office-Cum-Laboratory

Ref. No.

Dated :

INSPECTION REPORT (Air/Water)

Date of Inspection :

(A) GENERAL INFORMATION

1. Name & Address of Industry : M/s
 - (i) New/Existing/Expansion/ Modernization :
 - (ii) Date of Commissioning :
 - (iii) Large/Medium/Small :
 - (iv) Red/Orange/Green :
2. Name designation & full address with Tel. No. of :
 - (i) Occupier :
 - (ii) Over all In charge of Industry :
3. Name & designation of person (s)
Present during Inspection :
4. Operation status : Full/Partial/Closed
(i) If partial, which part is closed :
5. Production capacity per day/month in tone :
 - (i) Name of product with their actual
Production per day/month :
 - (ii) Name of the raw materials with their actual :
Consumption/per day/month in tone
6. Manufacturing Process :

(B) WATER POLLUTION CONTROL

1. Source of effluent generation. :

(i) Industrial :	Source	Quantity/KLD
	(a)
	(b)
(ii) Domestic :		
	(a)
	(b)

2. Treatment facility

(i) Industrial : -----

(ii) Domestic :

3. Operational status of E.T.P. : Full/Partial/Closed (?)

(i) Industrial : (a) If partial, which part is non-functional :

(ii) Domestic : (a) If partial, which part is non-functional :

4. Number of outlets

(i) Industrial : Nos

(a) Origin of each outlets :

(ii) Domestic Nos:-

Origin of each outlets :

5. Disposal : (1) Industrial (a) Mode :

(b) Site :

(2) Domestic (a) Mode :

(b) Site :

6. Sampling :

(i) Industrial :-

i) Indicate outlet, as under Sl. No. 4

ii) Comparative flow condition with reference to SL. No. B.1
Excessive/Normal/negligible

(ii) Domestic :

i) Indicate outlet, as under Sl. No. 4

ii) Comparative flow condition with reference to SL. No. B.1
Excessive/Normal/negligible

7. Compliance of condition/direction :

(i) Whether applied for consent (for period from to) Yes/No

If yes : Pending with H.Q./to be forwarded by R.O.) Yes/No

(ii) Discharge Consent :

Conditions

Compliance

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

9. Compliance of N.O.C. conditions/direction (Vide letter no.

dated-

Conditions

Compliance

.....

.....

.....

.....

.....

.....

.....

.....

(D) Solid waste management (Other than those covered under the hazardous waste (M&H) rules, 1989.

(I) Details of solid waste :

Source	Type	Quantity (t/day)	Quantity recycled (t/day)
i) Process			
ii) Pollution control facility			

2) Disposal :

- i) Quantity/day
- ii) Site
- iii) Any other Mode

(E) HAZARDOUS WASTE MANAGEMENT :

(I) Details of Hazardous waste :

(I) Details of solid waste :

Source	Type	Quantity t/day	Quantity recycled t/day
(i) Process			
(2) Mode of treatment :			
(3) Storage		t/day. How	
(4) Disposal			
(i) Quantity/day			
(ii) Site			

5. Whether authorization obtained : Yes/No -

6. Compliance of conditions/directions :

.....

.....

(F) WATER CESS

1. Source of water supply & quantity (in KLD)
- | | Industrial
Cooling spraying
in mine pit or
boiler feed. | Domestic
Purpose | Processing
Whereby water
gets polluted
& the
pollutants are
easily
biodegradable | Processing
Whereby water
gets polluted
the pollutants
are not easily
biodegradable
& are toxic |
|-------------------------------------|--|---------------------|--|--|
| (i) Municipal water
Supply Mains | | | | |
| (ii) Well/Tube-well | | | | |
| (iii) Canal | | | | |
| (iv) River | | | | |
| (v) Any other | | | | |
2. Method of measurement : Water meter / venture meter/notch/
Office meter / any other
3. Operational status of measuring the device : Functional / Non-functional
4. Last date of water cess paid :

(G) LAND AVAILABLE FOR GREEN BELT DEVELOPMENT

- (i) Existing : Sq. m
- (ii) Available for future development :

(H) PUBLIC COMPLAINTS (if any)

1. Nature of complaint
2. Number of residential units within 100 mt from boundary of the unit.
-----N.A.-----

(I) COMMENTS OF :

(A) INSPECTING OFFICER :

(B) REGIONAL OFFICER'S Recommendation : As above.

Regional Officer



JHARKHAND STATE POLLUTION CONTROL BOARD
REGIONAL OFFICE-CUM- LABORATORY

Ref. No-

Dated-

Inspection report under Hazardous Waste (Management, Handling & Transboundary Movement) Rule, 2008 of M/s

1. Date of Inspection :
2. Name of over all incharge of the plant :
3. Name of the person contacted :
4. Application submitted for authorization Under H.W (M&H) Rule, 2008 :
5. Application for Authorization under H.W (M&H) Rule, 2008 : Renewal for the period from to
6. Details of Hazardous Waste.

Sl. No	Name of H.W. with Category No.	Qty.	Collection Method	Storage Facility (If any)	Treatment Facility (If any)	Disposal Facility (If any)
01.						

7. Status of compliance of special condition of Hazardous Waste Authorization issued vide memo No:- / dated- valid for the period from to

Special condition(s)

Compliance.

- 4(i) Shall comply the provision of the Env. Protection Act and Rule :-
- (ii) The authorization shall be produced for inspection. :-
- (iii) The person authorized shall not rent sell or otherwise Transport the H/W without obtaining prior permission of the Board. :-
- (iv) Any unauthorized change shall constitute a breach the authorization:-

- (v) It is duty of authorized person to take prior permission of the board to closed down the facility. :-
- (vi) An application for renewal of authorization shall be made as laid down in the rules. :-
- (vii) Any other conditions for compliance as per the guidelines issued by the MoEF or CPCB. :-
- (viii) The unit shall submit annual return for the financial year before 30th June every year. :-
- (ix) Unit shall comply all the conditions otherwise authorization shall be revoked. :-

Recommendation of Inspection Officer :

Recommendation of Regional Officer : As above.

Regional Officer

